
No.



7300064

THE UNITED SHAMES OF AMIERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Peterson Seed Division Pioneer Hi-Bred International, Inc. Willierens, There has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF SCUCULOUN YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT RIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT

SOYBEAN

'P61-22'

In Lestimony Minercot, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington this sixth day of March in the year of our Lord one thousand nine hundred and seventy-five

Earl But

Secretary of Agriculture

FORM APPROVED OMB NO. 40-R3712

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION HYATTSVILLE, MARYLAND 20782

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

NSTRUCTIONS: See Reverse. 1. VARIETY NAME OR TEMPORARY	2. KIND NAME		FOR OFFICIAL USE ONLY			
P61-22	S oy be an	·	PV NUMBER 73064			
3. GENUS AND SPECIES NAME	4- FAMILY NAME (Botanical)		FILING DATE	TIME		
Glycine max	Leguminosae		FEE RECEIVED	BALANCE DUE		
	5. DATE OF DETERM	MINATION	\$250	\$ 00.00 \$ 00.00 \$ 00.00		
	January, 197	2	\$ 2.50			
6. NAME OF APPLICANT(S) DIONETE HI-BRED INTERNATIONALI	7. ADDRESS (Street at	nd No. or R.F.D. No.,	City, State, and ZIP	8. TELEPHONE AREA CODE AND NUMBER		
Picker Mi-Bred International, I Peterson Seed Co., The Dr. C. R. Weben (Procedure)		Airline High		319-234-0335		
Dr. C.R. Weber (Breeder)	Waterlo	o, Iowa 50701		1 717-274-0777		
	•					
9. IF THE NAMED APPLICANT IS NOT A PORGANIZATION: (Corporation, partnership		10. STATE OF INCO	RPORATION	11. DATE OF INCOR-		
Corporation		Minnesota		June, 1960		
12. Name and mailing address of appl	icant representative(s		in this application ar			
Mr. L.A. Peterson	DR CLARK .	IENWINGS				
Peterson Seed Co., Inc.	DIRECTOR	OF RESEARCH	Marinalal. Tale.			
3261 W. Airline Highway	PIONEER.	HI-BRED INTER	MALIONAN , INC.			
Waterloo, Iowa 50701	12124		•			
13A. Exhibit A, Origin and Brown 13B. Exhibit B, Botanical Des 13C. Exhibit C, Objective Des 13D. Exhibit D, Data Indicative 13E. Exhibit E, Statement of to 14A. Does the applicant(s) specify the	eeding History of the scription of the Variet scription of the Variet we of Novelty he Basis of Applicant at seed of this variety	y 's Ownership be sold by variet	y name only as a clas			
(See Section 83(a), (If "Yes," a			YES X NO			
14B. Does the applicant(s) specify th limited as to number of generation	•	beyond breed	_	_		
The applicant declares that a viable ance of a certificate and will be rep						
The undersigned applicant(s) of th uniform, and stable as required in Plant Variety Protection Act.						
Applicant is informed that false rep	presentation herein ca	n jeopardize prote	ction and result in pe	nalties.		
Feb 7, 1973		C.R.	Weber IGNATURE OF APPLICA	NT)		
, (DATE)		(S	IGNATURE OF APPLICA	IN 1 7		
	··			·		
(DATE)		(s	IGNATURE OF APPLICA	NT)		

Revised Attachments: P61-22 soybeans (December 31, 1973)

- 12.A. P61-22 originated from a cross of Corsoy x (Magna x Provar). It is an F_3 derived selection in the F_6 . It has been tested five years. In its third year of test it was purified for a few off types. It is uniform within for maturity, height, pubescence and hila color. It was increased in 1972 in Iowa and 1972-73 in Puerto Rico and 1973 in Iowa.
- 12.8. P61-22 has purple flowers, gray pubescence, brown pod color, dull seed-coat luster, yellow seed coat and yellow hilum. It is uniform in growth and in plant and seed characteristics. P61-22 yields over 1 bushel per acre more than Amsoy, 2 bushels per acre more than Corsoy and is 3 days earlier than Amsoy and one day later than Corsoy in maturity. It is 3 inches shorter than Amsoy, one inch shorter than Corsoy and has slightly smaller seed than either. It lodges about the same as Amsoy and it has the same seed quality and canopy type. It has higher protein and oil than Corsoy.
- 12.C. See Objective Description of Variety (Glycine Max).
- 12.D. As compared with Corsoy, P61-22 is 1 day later in maturity, lodges less, is shorter and has a higher seed protein and oil. P61-22 has an Iodine number of 133.1. A 10 day old seedling of P61-22 grown under constant light in a growth chamber (500 foot candles using VHO Gro Lux lights) at 25 degrees centigrade and a humidity between 85 & 90% has a seedling length of 242 MM, a cotyledon length of 20 MM and a cotyledon width of 10 MM vs. 255 MM, 20 MM and 11 MM respectively for Corsoy. P61-22 yields 2 bushels per acre more than Corsoy, and has slightly smaller seed. P61-12 MCST Closely Resembles Corsoy (Derice of July 17, 1974 Rfs).

12.E. The Paterson Seed Company is the sole owner of P61-22 sayhean variety.

THE PETERSON SEED DIVISION OF PIONEER HI-BRED INTERNATIONAL, INC. IS THE SOIE OWNER OF PEI-22' SOYBEAN VARIETY. RIS.

Attachments: P61-22

- 13A. P61-22 originated from a cross of Corsey x (Magna x Provar). It is an F₃ derived selection in the F₆. It has been tested four years. In the third year of test it was purified for a few off types. It is uniform within for maturity, height, pubescence, and hila color. It was increased in 1972 and in 1972-73 in Puerto Rico.
- 13B. P61-22 has purple flowers, gray pubescence, brown ped celor, dull seed-coat luster, yellow seed coat, and yellow hilum. It is uniform in growth and in plant and seed characteristics. P61-22 yields over one bushel per acre more than Amsoy, matures three days earlier, is three inches shorter, and has smaller seed size. It lodges about the same as Amsoy and it has the same seed quality and canopy type. Protein and oil are being determined.

Performance 1969-1972* 13D. Seed Seed Variety Yield Mat. Height \mathtt{Size} Qual. Canopy Score Lodge P61-22 47.1 9-19 2.3 16.0 1.2 2.6 42 18.0 1.2 45.9 9-22 2.2 Amsoy

13E. Dr. C.R. Weber is Director of Research and developer of P61-22 for the Peterson Seed Co., Inc.

^{*} All data collected similar to U.S.D.A. and State Experiment Stations.

INSTRUCTIONS: See Reverse.

UNITED STATES DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE GRAIN DIVISION

HYATTSVILLE, MARYLAND 20782

EXHIBIT C (Soybean)

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (GLYCINE MAX)

NAME OF APPLICANT(S) Peterson Seed Company FOR OFFICIAL USE ONLY PVPO NUMBER ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code) 73064 3261 West Airline Highway VARIETY NAME OR TEMPORARY DESIGNATION Waterloo, Iowa 50701 P61-22 Place the appropriate number that describes the varietal character of this variety in the boxes below. 2 = SPHERICAL FLATTENED 1 = SPHERICAL 3 = ELONGATE 4 = OTHER (Specify) 2. SEED COAT COLOR: · SHADE: 1 = YELLOW 2 = GREEN 3 = BROWN 4 = BLACK A TELIGHT 5 = OTHER (Specify) 2 = MEDIUM 3 = DARK 3. SEED COAT LUSTER: 4. SEED SIZE 1 = DULL 2 = SHINY GRAMS PER 100 SEEDS 5. HILUM COLOR. SHADE: 2 1 = BUFF 2 = YELLOW 3 = BROWN IMPERFECT 4 = GRAY BLACK 2 1 = LIGHT 6 = BLACK 7 = OTHER (Specify)2 = MEDIUM 3 = DARK 6. COTYLEDON COLOR: 7. LEAFLET SIZE (See Reverse): 1] = YELLOW 2 = GREEN a 2 = MEDIUM 3 = LARGE 8. LEAFLET SHAPE: I = OVATE 2 = OBLONG 17 3 = LANCEOLATE 4 = ELLIPTICAL 5 = OTHER (Specify) 9. LEAF COLOR (See reverse): 10. FLOWER COLOR: a 1 = LIGHT GREEN 2 = MEDIUM GREEN] = WHITE 3 = DARK GREEN 2 = PURPLE 3 = OTHER (Specify) 11. POD COLOR: 12: POD SET a 1 = TAN 2 = BROWN 3 = BLACK 1 = SCATTERED 2 = CONCENTRATED 13. PLANT PUBESCENCE COLOR: SHADE 1 = GRAY 2 = BROWN 3 = OTHER (Specify)1 = LIGHT 2 = MEDIUM 3 = DARK 2 14 PLANT TYPES (See Reverse): 15. PLANT HABIT: 1 = SLENDER 2 = BUSHY 3 = INTERMEDIATE] = DETERMINATE a 2 = INDETERMINATE 3 = OTHER (Specify) 16. HYPOCOTYL COLOR: 17. SEED PROTEIN: **a** 1 = GREEN 2 = PURPLE 1 = 🗚 2 = p 18. NUMBER OF DAYS TO FLOWERING 19. MATURITY GROUP: (Place a zero in first box (e.g. [0 [9]) wher days are 9 or less.) 2 = 01 = 00 4 = 11 3 = 1 55 5 = 111 6 = IV 7 **≠ v** 8 = VI 9 = VII 20. SIZE OF 10 DAY OLD SEEDLING GROWN UNDER CONSTANT LIGHT (Growth Chamber) AT 25° C. (Place a zero in first box

(e.g. 0 2) when size is 9 mm. or less.) 10 = VIII 42 MM. LENGTH OF SEEDLING 20 MM. LENGTH OF COTYLEDON MM. WIDTH OF COTYLEDON 0 21. DISEASE: (Enter 0 : Not Tested; 1 - Susceptible; 2 - Resistant) BACTERIAL Ø O SOYBEAN DOWNY O PURPLE ol POD AND 0 MILDEW 0 ROOT STEM BLIGHT STEM P FROGEYE CANKER . PHYTO-PHTHORA O BROWN STEM ROT 0 TARGET SPOT BROWN SPOT 0 BUD BLIGHT RHIZOCTONIA ROT WILDFIRE 0 OTHER (Specify)

Revised Attachments: P61-22 soybeans (December 31, 1973)

- P61-22 originated from a cross of Corsoy x (Magna x Provar). It is an F3 derived selection in the F6. It has been tested five years. In its third year of test it was purified for a few off types. It is uniform within for maturity, height, pubescence and hila color. It was increased in 1972 in Iowa and 1972–73 in Puerto Rico and 1973 in Iowa.
- 12.8. P61-22 has purple flowers, gray pubescence, brown pod color, dull seed-coat luster, yellow seed coat and yellow hilum. It is uniform in growth and in plant and seed characteristics. P61-22 yields over 1 bushel per acre more than Amsoy, 2 bushels per acre more than Corsoy and is 3 days earlier than Amsoy and one day later than Corsoy in maturity. It is 3 inches shorter than Amsoy, one inch shorter than Corsoy and has slightly smaller seed than either. It lodges about the same as Amsoy and it has the same seed quality and canopy type. It has higher protein and oil than Corsoy.
- 12.C. See Objective Description of Variety (Glycine Max).
- 12.D. As compared with Corsoy, P61-22 is 1 day later in maturity, lodges less, is shorter and has a higher seed protein and pil. P61-22 has an Iodine number of 133.1. A 10 day old seedling of P61-22 grown under constant light in a growth chamber (500 foot candles using VHO Gro Lux lights) at 25 degrees centigrade and a humidity between 85 & 90% has a seedling length of 242 MM, a cotyledon length of 20 MM and a cotyledon width of 10 MM vs. 255 MM, 20 MM and 11 MM respectively for Corsoy. P61-22 yields 2 bushels per acre more than Corsoy, and has slightly smaller seed. P61-12 MEST closely resembles Corsoy (Detick of July 17, 1974 Rfs).

 12.E. The Peterson Seed Company is the sole owner of P61-22

soybean variety.

22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

	<u> </u>				
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY		
Plant shape	CORSOY	Petiole angle	CORSOY		
Leaf shape	CORSOY	Seed size	SMALLER THAN CORSOY		
Leaf color	CORSOY	Seed shape	SOMEWHAT LIKE CORSOY		
Leaf surface	CORSOY	Seedling pigmentation	CORSOY		

23.	GIVE DATA	FOR	SUBMITTED	AND SIMILAR	STANDARD VARIETY:

	NO. OF DAYS	LODGING SCORE	PLANT HEIGHT	LEAF SIZE		CONTENT		AVERAGE NO.	,
				Width	Length	Protein	Oil	OF PODS PER PLANT	IODINE NO.
P61-22 Submitted	119	2.3.	39		_	42.4	21,2%	V ARIABLE - DEPENDS	133.1
Name of similar variety CORSOY	118	2,4	40	_	-	41,8	21,0	PLANTING RATE	133,3

INSTRUCTIONS

GENERAL: The following publications may be used as a reference aid for completing this form:

- 1. Scott, Walter O. and Samuel R. Aldrich, 1970, Modern Soybean Production, The Farmer Quarterly.
- 2. Norman, A. G., 1963, The Soybean: Genetics, Breeding, Physiology, Nutrition, Management.
- 3. McKie, J. W., and K. L. Anderson, 1970, The Soybean Book.

LEAF COLOR: Nickerson's or any recognized color fan may be used to determine the leaf color of the described variety. The following Soybean varieties may be used as a guide to identify the colors listed on the form.

VARIETY

Light Green

''Ada''

Medium Green

"Wilkin"

Dark Green

"Swift"

LEAF SIZE: The following varieties may be used as a guide to identify the relative size leaves.

SIZE

VARIETY

Small

"Amsoy"

Medium

"Bonus"

Large

"Anoka"

PLANT TYPE: The following varieties may be used as a guide to identify the plant type.

VARIETY

Slender

"Vansoy"

Intermediate

"Wirth"

Bushy

"Adelphia"

THE CHILD THE SECTION TO THE SECTION

INSTRUCTIONS

GENERAL: Send an original copy of the application, exhibits and \$250.00 fee to U.S. Dept. of Agriculture, Agricultural Marketing Service, Grain Division, 6525 Belcrest Road, Hyattsville, Maryland 20782. (See Section 180.175 of the regulations and rules of practice.) Retain one copy for your files. All items on the face of the form are self-explanatory unless noted below.

ITEM

- Insert the date the applicant determined that he had a new variety based on the definition in Section 41 (a) of the Act and decision is made to increase the seed.
- 13a First, give the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method. Second, give the details of subsequent stages of selection and multiplication. Third, indicate the type and frequency of variants during reproduction and multiplication and state how these variants may be identified. Fourth, provide evidence on stability.
- 13b First, give any special characteristics of the seed and of the plant as it passes through the seedling stage, flowering stage and the fruiting stage. Second, describe the mature plant and compare it with a similar commercial variety grown under the same conditions, and indicate the differences.
- 13c A supplemental form will be furnished by the PVPO to describe in detail a variety for each kind of seed.
- 13d Provide complete data indicative of novelty. Seed and plant specimens or photographs of seed and plant comparisons clearly indicating novelty may be submitted. Seeds submitted may be sterile.
- 13e Indicate whether applicant is the actual breeder, the employer of the breeder, the owner through purchase or inheritance, etc.